


SAMART-BOX
TANDEM BOX
SERIES
N-507



N-507-P

84 Round soft closing drawer




Loading capacity: 40kg

- Basic height 86mm.
- Wide range of depth from 270mm to 550mm.
- Four regular colors: Dark grey(D), Silver white(W), Silver grey(G), Light grey(L)
- Front convenient fine adjustment mechanism integrated.
Up & down 1.5mm, left & right 1.5mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

PRODUCT INFORMATION

Components view



- A N-507**
Drawer slide L/R
Loading capacity: 40kg
NL: 270/ 300/ 350/ 400/ 450/ 500/ 550mm
- B N-507**
Side wall L/R
Four colors
NL: 270/ 300/ 350/ 400/ 450/ 500/ 550mm
- C N-507**
Back panel connector L/R
Four colors
- D N-507**
Front connector

84 Round soft closing drawer


N-507-P

84 Round soft closing drawer


Cabinet space requirements




Front connector panel installation dimensions




Front panel drilling dimensions





Back panel installation dimensions



Drawer slide installation dimensions





Cutting dimensions



Cabinet width
Internal cabinet width
Nominal length

Space required



84 Round soft closing drawer

N-507-G

135 Round soft closing drawer




Loading capacity: 40kg

- Basic + round side railings, height 135mm.
- Wide range of depth from 270mm to 550mm.
- Four regular colors: Dark grey(D), Silver white(W), Silver grey(G), Light grey(L).
- Front convenient fine adjustment mechanism integrated.
Up & down 1.5mm, left & right 1.5mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

PRODUCT INFORMATION

Components view




- A N-507**
Drawer slide L/R
Loading capacity: 40kg
NL: 270/ 300/ 350/ 400/ 450/ 500/ 550mm
- B N-507**
Side wall L/R
Four colors
NL: 270/ 300/ 350/ 400/ 450/ 500/ 550mm
- C N-507**
Back panel connector L/R
Four colors
- D N-507**
Front connector
- E N-507**
Side round railings × 2
Four colors
NL: 270/ 300/ 350/ 400/ 450/ 500/ 550mm

135 Round soft closing drawer


N-507-G

135 Round soft closing drawer


Cabinet space requirements




Front connector panel installation dimensions




Front panel drilling dimensions





Back panel installation dimensions



Drawer slide installation dimensions





Cutting dimensions



Cabinet width
Internal cabinet width
Nominal length

Space required

Normal Length



135 Round soft closing drawer

N-507-H

199 Round soft closing drawer




Loading capacity: 40kg

- Basic + round side railings, height 199mm.
- Wide range of depth from 270mm to 550mm.
- Four regular colors: Dark grey(D), Silver white(W), Silver grey(G), Light grey(L)
- Front convenient fine adjustment mechanism integrated.
Up & down 1.5mm, left & right 1.5mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

PRODUCT INFORMATION

Components view




- A N-507**
Drawer slide L/R
Loading capacity: 40kg
NL: 270/ 300/ 350/ 400/ 450/ 500/ 550mm
- B N-507**
Side wall L/R
Four colors
NL: 270/ 300/ 350/ 400/ 450/ 500/ 550mm
- C N-507**
Back panel connector L/R
Four colors
- D N-507**
Front connector
- E N-507**
Side round railings × 2
Four colors
NL: 270/ 300/ 350/ 400/ 450/ 500/ 550mm

199 Round soft closing drawer


N-507-H

199 Round soft closing drawer


Cabinet space requirements




Front connector panel installation dimensions




Front panel drilling dimensions





Back panel installation dimensions



Drawer slide installation dimensions




Cutting dimensions




Cabinet width
Internal cabinet width
Nominal length

Space required




NL: Nominal length



199 Round soft closing drawer

SAMART-BOX
TANDEM BOX
SERIES
N-607



84 Square soft close drawer




Loading capacity: 40kg

- Basic height 86mm.
- Wide range of depth from 270mm to 550mm.
- Four regular colors.Dark grey(D),Silver white(W),Silver grey(G), Light grey(L)
- Front convenient fine adjustment mechanism integrated.
- Up & down 1.5mm, left & right 1.5mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

PRODUCT INFORMATION

Components view



A N-607

Drawer slide L/R
Loading capacity: 40kg
NL: 270/ 300/ 350/ 400/ 450/ 500/ 550mm



B N-607

Side wall L/R
Four colors
NL: 270/ 300/ 350/ 400/ 450/ 500/ 550mm



C N-607

Back panel connector L/R
Four colors



D N-607

Front connector




84 Square soft close drawer

N-607-P


84 Square soft close drawer




Cabinet space requirements




Front connector panel installation dimensions




Front panel drilling dimensions





Back panel installation dimensions



Drawer slide installation dimensions




Cutting dimensions




Cabinet width
Internal cabinet width
Nominal length

Space required



Norminal Length



NL:Nominal length

84 Square soft close drawer

N-607-G

135 Square soft close drawer




Loading capacity: 40kg

- Basic + rectangular side railings, height 135mm.
- Wide range of depth from 270mm to 550mm.
- Four regular colors: Dark grey(D), Silver white(W), Silver grey(G), Light grey(L)
- Front convenient fine adjustment mechanism integrated.
Up & down 1.5mm, left & right 1.5mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

PRODUCT INFORMATION

Components view




- A N-607**
Drawer slide L/R
Loading capacity: 40kg
NL: 270/ 300/ 350/ 400/ 450/ 500/ 550mm
- B N-607**
Side wall L/R
Four colors
NL: 270/ 300/ 350/ 400/ 450/ 500/ 550mm
- C N-607**
Back panel connector L/R
Four colors
- D N-607**
Front connector
- E N-607**
Side round railings × 2
Four colors
NL: 270/ 300/ 350/ 400/ 450/ 500/ 550mm

135 Square soft close drawer


N-607

135 Square soft close drawer



Cabinet space requirements Front connector panel installation dimensions Front panel drilling dimensions Back panel installation dimensions



Drawer slide installation dimensions





Cutting dimensions



Cabinet width
Internal cabinet width
Nominal length

Space required

Nominal Length



135 Square soft close drawer

N-607-H

199 Square soft close drawer




Loading capacity: 40kg

- Basic + rectangular side railings, height 199mm.
- Wide range of depth from 270mm to 550mm.
- Four regular colors: Dark grey(D), Silver white(W), Silver grey(G), Light grey(L)
- Front convenient fine adjustment mechanism integrated.
Up & down 1.5mm, left & right 1.5mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

PRODUCT INFORMATION

Components view




- A N-607**
Drawer slide L/R
Loading capacity: 40kg
NL: 270/ 300/ 350/ 400/ 450/ 500/ 550mm
- B N-607**
Side wall L/R
Four colors
NL: 270/ 300/ 350/ 400/ 450/ 500/ 550mm
- C N-607**
Back panel connector L/R
Four colors
- D N-607**
Front connector
- E N-607**
Side round railings X4
Four colors
NL: 270/ 300/ 350/ 400/ 450/ 500/ 550mm

199 Square soft close drawer


N-607-H

199 Square soft close drawer


Cabinet space requirements




Front connector panel installation dimensions




Front panel drilling dimensions





Back panel installation dimensions



Drawer slide installation dimensions





Cutting dimensions



Cabinet width
Internal cabinet width
Normal length


Space required

Normal Length



199 Square soft close drawer

MINI
SLIM TANDEM
SERIES
N-907





N-907-P

84 Slim soft close drawer




Loading capacity: 40kg

- Basic height 86mm.
- Wide range of depth from 270mm to 550mm.
- Four regular colors: Dark grey(D), Silver white(W), Silver grey(G), Light grey(L)
- Front convenient fine adjustment mechanism integrated.
Up & down 1.5mm, left & right 1.5mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

PRODUCT INFORMATION

Components view




84 Slim soft close drawer


N-907

84 Slim soft close drawer


Cabinet space requirements Front connector panel installation dimensions Front panel drilling dimensions Back panel installation dimensions





Drawer slide installation dimensions



Cutting dimensions



Space required



84 Slim soft close drawer

N-907-L

116 Slim soft close drawer




Loading capacity: 40kg

- Basic height 118mm.
- Wide range of depth from 270mm to 550mm.
- Four regular colors: Dark grey(D), Silver white(W), Silver grey(G), Light grey(L)
- Front convenient fine adjustment mechanism integrated.
Up & down 1.5mm, left & right 1.5mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

PRODUCT INFORMATION

Components view




116 Slim soft close drawer



N-907

116 Slim soft close drawer


Cabinet space requirements Front connector panel installation dimensions Front panel drilling dimensions Back panel installation dimensions




Drawer slide installation dimensions



Cutting dimensions



Space required



116 Slim soft close drawer

N-907-G

166 Slim soft close drawer




Loading capacity: 40kg

- Basic height 168mm.
- Wide range of depth from 270mm to 550mm.
- Four regular colors: Dark grey(D), Silver white(W), Silver grey(G), Light grey(L)
- Front convenient fine adjustment mechanism integrated.
Up & down 1.5mm, left & right 1.5mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

PRODUCT INFORMATION

Components view




116 Slim soft close drawer



N-907

166 Slim soft close drawer


Cabinet space requirements Front connector panel installation dimensions Front panel drilling dimensions Back panel installation dimensions




Drawer slide installation dimensions



Cutting dimensions



Space required



116 Slim soft close drawer

N-907-H

196 Slim soft close drawer




Loading capacity: 40kg

- Basic height 198mm.
- Wide range of depth from 270mm to 550mm.
- Four regular colors: Dark grey(D), Silver white(W), Silver grey(G), Light grey(L)
- Front convenient fine adjustment mechanism integrated.
Up & down 1.5mm, left & right 1.5mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

PRODUCT INFORMATION

Components view




196 Slim soft close drawer



N-907

196 Slim soft close drawer


Cabinet space requirements Front connector panel installation dimensions Front panel drilling dimensions Back panel installation dimensions




Drawer slide installation dimensions



Cutting dimensions




Space required



196 Slim soft close drawer

MINI PRAGMATISM

N-707





N-707-P

84 Slim drawer with inserted glass




Loading capacity: 40kg

- Basic height 198mm.
- Wide range of depth from 270mm to 550mm.
- Four regular colors: Dark grey(D), Silver white(W), Silver grey(G), Light grey(L).
- Front convenient fine adjustment mechanism integrated.
Up & down 1.5mm, left & right 1.5mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

PRODUCT INFORMATION

Components view




- A N-707**
Drawer slide L/R
Loading capacity: 40kg
NL: 270/ 300/ 350/ 400/ 450/ 500/ 550mm
- B N-707**
Side wall L/R
Four colors
NL: 270/ 300/ 350/ 400/ 450/ 500/ 550mm
- C N-707**
Back panel connector L/R
Four colors
- D N-707**
Front connector

84 Slim drawer with inserted glass


N-707-P

84 Slim drawer with inserted glass


Cabinet space requirements Front connector panel installation dimensions Front panel drilling dimensions Back panel installation dimensions





Drawer slide installation dimensions



Cutting dimensions



Space required



84 Slim drawer with inserted glass

N-707-G

116 Slim drawer with inserted glass




Loading capacity: 40kg

- Basic height 198mm.
- Wide range of depth from 270mm to 550mm.
- Four regular colors: Dark grey(D), Silver white(W), Silver grey(G), Light grey(L)
- Front convenient fine adjustment mechanism integrated.
Up & down 1.5mm, left & right 1.5mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

PRODUCT INFORMATION

Components view




116 Slim drawer with inserted glass


N-707-G

116 Slim drawer with inserted glass


Cabinet space requirements Front connector panel installation dimensions Front panel drilling dimensions Back panel installation dimensions





Drawer slide installation dimensions



Cutting dimensions



Space required



116 Slim drawer with inserted glass

N-707-H

196 Slim drawer with inserted glass




Loading capacity: 40kg

- Basic height 198mm.
- Wide range of depth from 270mm to 550mm.
- Four regular colors. Dark grey(D), Silver white(W), Silver grey(G), Light grey(L)
- Front convenient fine adjustment mechanism integrated.
Up & down 1.5mm, left & right 1.5mm.
- Synchronization mechanism of the slides stabilizes the sliding motion and eliminates noises from the living space.

PRODUCT INFORMATION

Components view




196 Slim drawer with inserted glass


N-707-H

196 Slim drawer with inserted glass


Cabinet space requirements Front connector panel installation dimensions Front panel drilling dimensions Back panel installation dimensions





Drawer slide installation dimensions



Cutting dimensions



Space required



196 Slim drawer with inserted glass